

# ABRAZADERAS



**ABRAZ. METAL M-6**  
(Ref.AM6)



Medida	P.V.P.
12mm	0,125
15mm	0,150
16mm	0,160
18mm	0,170
20mm	0,180
22mm	0,188



Medida	P.V.P.
25mm	0,200
26mm	0,200
28mm	0,225
32mm	0,240
35mm	0,250
42mm	0,260
50mm	0,290

**ABRAZ. DOBLE M-6**  
(Ref.ADM)



Medida	P.V.P.
12mm	0,219
15mm	0,248
18mm	0,275
22mm	0,325
28mm	0,350

**ABRAZ. INOX M-8**  
(Ref.ARI)



Medida	P.V.P.
18mm	2,700
22mm	2,900
28mm	3,050
35mm	3,230
40mm	3,500
48mm	3,580
54mm	3,700
60mm	3,980
75mm	5,400
90mm	5,860
110mm	6,800

**ABRAZ. METAL REFORZADA (AM810)**



Medida	P.V.P.
22mm	0,597
28mm	0,631
35mm	0,622
40mm	0,716
48mm	0,767

**ABRAZ. METAL (M810)**



Medida	P.V.P.
63mm	1,194
75mm	1,228
90mm	1,279
110mm	1,473
125mm	1,775
160mm	2,356
200mm	3,519
250mm	4,216

**ABRAZ. ISOFONICA M-8/10 (REF.AIM810)**



Medida	P.V.P.
18mm	0,63
22mm	0,65
28mm	0,71
35mm	0,77
40mm	0,83
50mm	0,90
60mm	1,01
75mm	1,17
90mm	1,21
110mm	1,24
125mm	1,83
160mm	2,27
200mm	2,97

**ABRAZ. ISOFONICA INOX M-8 (Ref.AII)**



Medida	P.V.P.
18mm	3,25
22mm	3,35
28mm	3,53
35mm	3,60
40mm	4,54
48mm	4,20
54mm	4,46
60mm	4,70
75mm	5,15
90mm	5,35
110mm	6,45
125mm	6,50

**ABRAZ. ISOFONICA M-6 (Ref.AIM6)**



Medida	P.V.P.
12mm	0,16
16mm	0,18
18mm	0,18
20mm	0,19
22mm	0,21
26mm	0,24
28mm	0,25
32mm	0,26
35mm	0,29
42mm	0,35
54mm	0,38
60mm	0,40

**ABRAZ. SIMPLE DE NYLON (Ref. AKS)**



Medida	P.V.P.
12mm	0,16
14mm	0,22
16mm	0,23
18mm	0,28
20mm	0,30
22mm	0,31
24mm	0,60
26mm	0,61
28mm	0,63

**ABRAZ. DOBLE DE NYLON (Ref. AKD)**



Medida	P.V.P.
12mm	0,28
14mm	0,29
16mm	0,30
18mm	0,44
20mm	0,47
22mm	0,48
24mm	-
26mm	-
28mm	0,85

**ABRAZ. "ISONYL" GRIS (Ref.372)**



Medida	P.V.P.
12mm	0,13
15/16mm	0,15
18/20mm	0,18
22/25mm	0,20
26/28mm	0,22
32mm	0,30
40/42mm	0,36
48/50mm	0,40

**ABRAZ. DE PVC CIERRE M-6 (Ref.ACC)**



Medida	P.V.P.
12mm	0,16
15mm	0,16
18mm	0,21
20mm	0,22
22mm	0,23
25mm	0,25
28mm	0,32
32mm	0,35

**ABRAZ. SIMPLE PRESION (Ref.APS)**



Medida	P.V.P.
12mm	0,19
14-15mm	0,19
16-18mm	0,20
20-22mm	0,22
25mm	0,28
28mm	0,30

**ABRAZ. DOBLE PRESION (Ref.APD)**



Medida	P.V.P.
12mm	0,30
14-15mm	0,32
16-18mm	0,39
20-22mm	0,41
28mm	0,56



**ABRAZ. ISOFONICA  
DOBLE M-6 (Ref.135)**



**isofix**

Medida	P.V.P.
12mm	0,27
14-16mm	0,39
18mm	0,41
22mm	0,45
28mm	0,48

**TIRAFONDO  
(Ref.326)**

**isofix**



**Métrica 6**

Medida	P.V.P.
3cm	0,025
4cm	0,030
5cm	0,048

**Métrica 8**

Medida	P.V.P.
4cm	0,050
6cm	0,065

**TIRAFONDO DOBLE  
M-8 (Ref.329)**

**isofix**



Medida	P.V.P.
8cm	0,120
10cm	0,135
12cm	0,170

**VARILLA ROSCADA  
GALVANIZADA  
1M (Ref.322)**



**isofix**

**CINTA METALICA  
PERFORADA**



**TACO NYLON  
FISCHER "SX"**



**fischer**

Medida	P.V.P.
6mm	0,900
8mm	1,500
10mm	2,350

**MANGUITO ROSCADO  
HEXAGONAL (Ref.390)**



Medida	P.V.P.
6X20mm	0,150
6X30mm	0,175
8X20mm	0,200
8X30mm	0,200

Medida	P.V.P.
17x0,8mm	3,995

**TACO DE ANCLAJE**



Medida	P.V.P.
6x30mm	0,240
8x30mm	0,400

Medida	P.V.P.
6mm	0,05
8mm	0,07
10mm	0,12
12mm	0,20

**GUIA METAL  
PERFORADA  
GALVANIZADA (Ref.333)  
20x10x2000mm**



Medida	P.V.P.
2m	1,250